# NEXTORCH®

## the smart light

# CONTENTS

# NEXTORCH®
## the smart light

Founded in 2005, **Nextorch** is a global leading brand of high-end portable lighting products. Devoted to providing experts with more professional, mobile lighting solutions in law enforcement, hunting, outdoor and personal use.

With more than 110 patents and numerous awards, Nextorch is gaining more and more approval from customers and is now sold in over 100 countries around the globe. Nextorch, always lights up your adventure!

## ANSI/PLATO FL1 STANDARD

This standard covers basic performance of hand-held/portable flashlights, spotlights and headlamps providing directional lighting. It introduces definitions and testing methods for basic flashlight performance as well as associated marking. Nextorch products strictly follow and support the ANSI/PLATO FL 1 standard guidelines, guaranteeing exceptional product quality.

| FL 1 STANDARD | FL 1 STANDARD | FL 1 STANDARD | FL 1 STANDARD | FL 1 STANDARD | FL 1 STANDARD | FL 1 STANDARD |
|---|---|---|---|---|---|---|
| 000 LUMENS | 00h | 000m | 0000cd | 0m ✓ | | 00m |
| Light Output | Maximum Run Time | Beam Distance | Peak Beam Intensity | Impact Resistant | Weather Resistance | Waterproof and Submersible |

## Trek Star

**Ultra bright, multi-mode LED headlamp**

**ANSI/PLATO FL 1**

| FL1 STANDARD | FL1 STANDARD | FL1 STANDARD | FL1 STANDARD | FL1 STANDARD |
|---|---|---|---|---|
| 220 LUMENS | 98h | 73m | IPX-6 | 1m |

**220 LUMENS**

Trek Star is our new lightweight, ultra bright, multi-mode LED headlamp, with a max output of a powerful 220 lumens. At less than half the weight of ordinary headlamps and multi-mode capability, including white and red LED output. Withstanding temperatures between -25⁰C to 60⁰C. Trek Star is the perfect choice for outdoor and industrial uses.

**FEATURES**
- White LED provides max output, Red LED provides gentler light for reduced eye strain
- 220 Lumen max output, max runtime 98 hours
- Hidden S.O.S mode, initiated at a touch

| Code | Description | Barcode |
|---|---|---|
| TREK-STAR-BLACK | Trek Star Ultra Bright LED Headlamp Black | 6936852564480 |
| TREK-STAR-BLUE | Trek Star Ultra Bright LED Headlamp Blue | 6936852564541 |
| TREK-STAR-GREEN | Trek Star Ultra Bright LED Headlamp Green | 6936852564527 |

| | |
|---|---|
| LED : | 1 * White LED, 2 * Red LEDs |
| Mode : | 220lm / 125lm / 9 lm / RED / S.O.S. |
| Runtime : | 2h30min / 9h / 98h / 92h / — |
| Beam distance : | 73m / 239.50' |
| Water resistance : | IPX-6 |
| Impact resistance: | 1m / 3.28' |
| Battery : | 3 * AAA ( Included ) |
| Dimensions : | 55mm * 38mm * 32mm |
| Weight : | 49g / 1.72oz ( without battery ) |

## Eco Star

**Lightweight multi-mode LED headlamp**

**ANSI/PLATO FL 1**

| FL1 STANDARD | FL1 STANDARD | FL1 STANDARD | FL1 STANDARD | FL1 STANDARD |
|---|---|---|---|---|
| 48 LUMENS | 49h | 16m | IPX-4 | 1m |

**48 LUMENS**

Eco Star is a lightweight multi-mode LED headlamp. Weighing only 38g (without battery), 61g (with 2 AAA batteries), the Eco Star is comfortable to wear. It meets a wide variety of lighting requirements with its white and red LEDs and 3 practical modes. The Eco Star will satisfy your outdoor and industrial lighting demands.

**FEATURES**
- Lightweight and comfortable to wear
- 48 lumen max output, max runtime 105 hours
- Hidden S.O.S mode, initiated at a touch

Detachable clip included

Detachable clip

2 white LEDs
1 red LED

| Code | Description | Barcode |
|---|---|---|
| ECO-STAR-BLACK | Eco Star Lightweight LED Headlamp Black | 6936852564411 |
| ECO-STAR-BLUE | Eco Star Lightweight LED Headlamp Blue | 6936852564428 |
| ECO-STAR-GREEN | Eco Star Lightweight LED Headlamp Green | 6936852564435 |

| | |
|---|---|
| LED : | 2 * White LEDs, 1 * Red LED |
| Mode : | 48lm / 6lm / RED / S.O.S. |
| Runtime : | 8h / 49h / 110h / — |
| Beam distance : | 16m / 52.49' |
| Water resistance : | IPX-4 |
| Impact resistance: | 1m / 3.28' |
| Battery : | 2 * AAA ( Included ) |
| Dimensions : | 54mm * 42mm * 21mm |
| Weight : | 71g / 2.50oz ( with battery ) |

## myStar

**Focus adjustable rechargeable headlamp**

**ANSI/PLATO FL 1**

| FL1 STANDARD | FL1 STANDARD | FL1 STANDARD | FL1 STANDARD | FL1 STANDARD |
|---|---|---|---|---|
| 550 LUMENS | 63h | 184m | IPX-4 | 1m |

**550 LUMENS**

Nextorch myStar is a cutting edge lightweight, rechargeable, hands-free solution. Equipped with Nextorch patented Fresnel lens, myStar achieves focus shift by simple rotation, meeting varied needs of close to distant field of view at night time. The whole system is unbelievably lightweight making it comfortable to wear over prolonged periods of time.

**FEATURES**
- 360 rotate focus technology
- Ultra-bright 550 lumen output, max runtime of 63 hours
- Built-in micro USB charging port
- Ergonomically designed head band for comfortable longterm wear

360 rotate focus technology

Red safety strobe visible from back and side

"Y" shaped strip ensures maximum comfortable fit

| | |
|---|---|
| LED : | CREE® XP-G3 S4 |
| Mode : | 550lm / 200lm / 20lm / S.O.S. |
| Runtime : | 4h30min / 7h30min / 63h / — |
| Beam distance : | 184m / 603.7' |
| Water resistance : | IPX-4 |
| Impact resistance: | 1m / 3.28' |
| Battery : | Built-in Rechargeable 3000mAh Battery ( Included ) |
| Dimensions : | Light body: 37mm * 31mm * 37mm    Battery pack: 57mm * 23mm * 76mm |
| Weight : | 169g / 5.96oz ( included battery ) |

| Code | Description | Barcode |
|---|---|---|
| MYSTAR-GREEN | My Star Adjustable Rechargeable Headlamp | 6945064200048 |

## myTorch - S
Ultra bright USB rechargeable smart torch

**660 LUMENS**

ANSI/PLATO FL 1 — 660 LUMENS / 110h / 178m / 1m / 1m

**FEATURES**
- USB rechargeable
- Smart Torch Technology
- PC programmable technology that allows users set infinite modes personally to fit different needs

| Code | Description | Barcode |
|---|---|---|
| MYTORCH-S | Ultra Bright USB Charge Smart Torch | 6936852563650 |

## myTorch - S-AA
Ultra bright USB rechargeable smart torch

**130 LUMENS**

ANSI/PLATO FL 1 — 130 LUMENS / 30h / 81m / 1m / 1m

**FEATURES**
- 4 modes preset with Smart Memory Mode technology including strobe
- Smart Torch Technology, PC programmable with unlimited modes
- Compatible with non-rechargeable alkaline batteries or rechargeable Ni-MH batteries
- USB rechargeable

| Code | Description | Barcode |
|---|---|---|
| MYTORCH-S-AA | Lightweight LED Flashlight 4 Mode | 6936852563667 |

## Saint Torch 10
3200 lumen high output rechargeable search torch

**3200 LUMENS**

ANSI/PLA TO FL 1 — 3200 LUMENS / 120h / 470m / 1m

The Nextorch flagship search light. Designed for rescue, exploration, patrol and maintenance. Known for its ultra bright and reliable design - the Saint Torch series is the pro's choice!

**FEATURES**
- DC direct quick charge design
- LED battery indicator
- Single switch for easy momentary activation or mode switching
- Comes with shoulder strap for prolonged carry time

Charger  Shoulder strap  Carry case

| Code | Description | Barcode |
|---|---|---|
| SAINTTORCH10 | Nextorch High Output USB Charge Search Light - w/carry case | 6945064200147 |

## myTorch - S2-AA
Ultra bright USB rechargeable smart torch

**235 LUMENS**

ANSI/PLA TO FL 1 — 235 LUMENS / 56h / 110m / 1m / 1m

**FEATURES**
- 4 modes preset with Smart Memory Mode technology including strobe
- Smart Torch Technology, PC programmable with unlimited modes
- Compatible with non-rechargeable alkaline batteries or rechargeable Ni-MH batteries
- USB rechargeable

| Code | Description | Barcode |
|---|---|---|
| MYTORCH-S2-AA | Lightweight LED Outdoor Flashlight | 6936852563674 |

| | myTorch S | myTorch S AA | myTorch S 2AA |
|---|---|---|---|
| LED : | CREE® XM-L2 U2 | CREE® XP-G2 R5 | CREE® XP-G2 R5 |
| Mode : | 660lm / 330lm / 2lm / strobe | 130lm / 65lm / 2lm / strobe | 235lm / 120lm / 2lm / strobe |
| Runtime : | 1h15min / 2h30min / 110h / — | 1h / 2h / 30h / — | 1h15min / 2h / 56h / — |
| Beam distance : | 178m / 583.99' | 81m / 265.75' | 110m / 360.89' |
| Water resistance : | IPX-7 ( 1m ) | IPX-7 ( 1m ) | IPX-7 ( 1m ) |
| Impact resistance: | 1m / 3.28' | 1m / 3.28' | 1m / 3.28' |
| Battery : | 1 * 18650 ( Included ) | 1 * Alkaline AA ( Included ) or 1 * NI-MH AA | 2 * Alkaline AA ( Included ) or 2 * NI-MH AA |
| Dimensions : | 154mm * 36mm * 26mm | 120mm * 26.4mm * 19.2mm | 170mm * 26.4mm * 19.2mm |
| Weight : | 136g / 4.80oz ( without battery ) | 56g / 1.97oz ( without battery ) | 72g / 2.54oz (without battery) |

# PA5

## 360⁰ Rotate focus adjustable USB rechargeable flashlight

**ANSI/PLA TO FL 1**

| FL1 STANDARD | FL1 STANDARD | FL1 STANDARD | FL1 STANDARD | FL1 STANDARD |
|---|---|---|---|---|
| 660 LUMENS | 32h | 220m | IPX-4 | 1m |

**660 LUMENS**

There is often a time where a quick shift in focus is needed, with the Nextorch RFA technology the PA5 offers a smooth transition of focus, with a simple rotation and a best-in-class beam spot. The Duo switch enables the PA5 to quick mode shift and comes with a low-profile well hidden USB charging port with indicator.

Patented Fresnel Lens

USB direct charging port

**FEATURES**
- CREE XP-L neutral white light LED emitter, max output 660 lumens
- Powered by 1x 18650 or 2x CR123A
- Duo switch multi-purpose technology operates in 2 modes, plus tactical strobe and an S.O.S.
- USB charging port with LED indicator

| | |
|---|---|
| LED : | CREE® XP-L Neutral White Light LED |
| Mode : | 660lm / 30lm / strobe / S.O.S. |
| Runtime      : | 4h / 32h / — / — |
| Beam distance : | 220m / 721.8' |
| Water resistance : | IPX-4 |
| Impact resistance: | 1m / 3.28' |
| Battery : | 2 * CR123A / 1 * 18650 ( Included ) |
| Dimensions : | 146mm * 34mm * 26mm |
| Weight : | 147g / 5.19oz ( without battery ) |

| Code | Description | Barcode |
|---|---|---|
| PA5 | 360 Deg Rotate Focus USB Charge Flashlight | 6945064200123 |

# TA40

## 1040 Lumen ultra bright tactical flashlight

**ANSI/PLA TO FL 1**

| FL1 STANDARD | FL1 STANDARD | FL1 STANDARD | FL1 STANDARD | FL1 STANDARD |
|---|---|---|---|---|
| 1040 LUMENS | 10h | 285m | 2m | 3m |

**1040 LUMENS**

**FEATURES**
- CREE XM-L2 U2 LED emitter, max output 1040 lumens
- Powered by 1x 18650 or 2x CR123A
- Duo switch multi-purpose technology operates in
- 7 light modes, plus tactical strobe and an S.O.S.

| | Ta40 |
|---|---|
| LED : | CREE® XM-L2 U2 |
| Mode : | 1040lm / 530lm / 360lm / 100lm / strobe / S.O.S. |
| Runtime      : | 1h / 1h30min / 3h / 10h / — / — |
| Beam distance : | 285m / 935,04' |
| Water resistance : | IPX-8 (2m) |
| Impact resistance: | 3m / 9.84' |
| Battery : | 2 * CR123A ( Included ) / 1 * 18650 |
| Dimensions : | 147mm * 34mm * 25,4mm |
| Weight : | 124g / 4,37oz ( without battery ) |

| Code | Description | Barcode |
|---|---|---|
| TA40 | Ultra Bright Tactical Flashlight | 6936852563940 |

# K3

## Ultra bright 2 AAA LED penlight

**ANSI/PLATO FL 1**

| FL1 STANDARD | FL1 STANDARD | FL1 STANDARD | FL1 STANDARD | FL1 STANDARD |
|---|---|---|---|---|
| 180 LUMENS | 38h | 66.5m | IPX-4 | 1m |

**180 LUMENS**

Our best-seller K3 clip-and-go penlight is powered by two AAA batteries, continues the tradition of compact design for daily use. Maintenance personnel, mechanics, and those who use it for personal daily use swear by this model, calling it the brightest, toughest, and the most reliable pen light they have ever used.

**FEATURES**
- Compact structure and lightweight
- Durable stainless steel clip, easy for everyday carrying

| | |
|---|---|
| LED : | CREE® XP-G2 R5 |
| Mode : | 180lm / 70lm / 25lm / strobe |
| Runtime : | 30min / 2h15min / 38h / — |
| Beam distance : | 56.5m / 185.4' |
| Water resistance : | IPX-4 |
| Impact resistance: | 1m / 3.28' |
| Battery : | 2 * AAA ( Included ) |
| Dimensions : | 150mm * 13.8mm * 12.4mm |
| Weight : | 25g / 0.88oz ( without battery ) |

| Code | Description | Barcode |
|---|---|---|
| K3 | Ultra Bright Penlight AAA | 6936852562462 |

# UL360

## 360⁰ Utility pocket lantern

**ANSI/PLATO FL 1**

| FL1 STANDARD | FL1 STANDARD | FL1 STANDARD | FL1 STANDARD | FL1 STANDARD |
|---|---|---|---|---|
| 70 LUMENS | 30h | 19m | IPX-6 | 1m |

**70 LUMENS**

The UL360 - pocket lantern fits in the palm of your hand and can be easily carried in your pocket. This powerful lantern is powered by a single AA battery that can light up to 70 lumens and lights up an area of 5m². Rotating 360 degrees to a point of desired angle for comfortable lighting. A handy magnetic bottom plate, bungee cord and S-biner offer countless mounting options that will make the UL360 fit anywhere. A truly handy lantern perfect for outdoor camping and emergency lighting.

| | |
|---|---|
| LED : | CREE® XP-G2 R5 NEUTRAL WHITE LED |
| Mode : | 70lm / 10lm |
| Runtime : | 3h15min / 30h |
| Beam distance : | 5m / 16.4' |
| Water resistance : | IPX-6 |
| Impact resistance: | 1m / 3.28' |
| Battery : | 1 * AA ( Included ) |
| Dimensions : | 78mm * 34mm * 21mm |
| Weight : | 40g / 1.41oz ( without battery ) |

**FEATURES**
- Tiny and compact thumb sized lantern
- 360 degree rotating lamp body design
- Magnetic body design with S-biner and elastic strap supporting multi-function quick attach feature

| Code | Description | Barcode |
|---|---|---|
| UL360 | Utility Pocket Lantern | 6945064200017 |

## UL360 Counter Display

**FEATURES**
- Lightweight acrylic display
- Try me tester UL360 with movable arm
- Tray to hold stock

Includes:
**UL360**: Utility pocket lantern | x12

**BONUS "TRY ME" LANTERN**

| Code | Description |
|---|---|
| NEXDISP2 | UL360 Counter Display |

# NEXTORCH
*the smart light*

# GL20 LASER

# UL10 MULTIPURPOSE

# NEXTORCH
*the smart light*

## GL20 Laser
Keychain light and laser combo

**ANSI/PLATO FL 1**

| FL1 STANDARD | FL1 STANDARD | FL1 STANDARD | FL1 STANDARD | FL1 STANDARD |
|---|---|---|---|---|
| 60 LUMENS | 10h | 19m | IPX-4 | 1m |

**60 LUMENS**

Gl20 is a whole new kind of keychain light. The concept of the GL20 is having a visible laser integrated in a light, while maintaining a small and lightweight package. Compact design makes it easy to use in any application. A built in Li-ion battery pack and weights just 47 grams. Also features a low battery indicator and charges through a micro USB cable.

**FEATURES**
- Key-chain LED light and laser combo
- Compact and lightweight
- Powered by a built in high volume rechargeable Li-ion battery
- Micro USB rechargeable, built-in LED low battery indicator

Keychain light          Available in 3 colours          Visible laser

| LED : | Nichia® 5mm LED |
|---|---|
| Mode : | 4lm / 60lm / S.O.S. / <0.9mW ( Laser ) |
| Runtime : | 10h / 1h / — / 10h |
| Beam distance : | 19m / 62.3' |
| Water resistance : | IPX- 4 |
| Impact resistance: | 1m / 3.28' |
| Battery : | Built-in Rechargeable Li-ion battery |
| Dimensions : | 60.3mm * 33mm * 11.5mm |
| Weight : | 16.3g / 0.57oz ( with battery ) |

| Code | Description | Barcode |
|---|---|---|
| GL20-GREEN | Keychain Light Laser Combo Green - Blister Pack | 6945064200475 |
| GL20-GREY | Keychain Light Laser Combo Grey - Blister Pack | 6945064200499 |
| GL20-KHAKI | Keychain Light Laser Combo Khaki - Blister Pack | 6945064200482 |

## UL10
Compact multi-purpose clip light

**ANSI/PLATO FL 1**

| FL1 STANDARD | FL1 STANDARD | FL1 STANDARD | FL1 STANDARD | FL1 STANDARD |
|---|---|---|---|---|
| 65 LUMENS | 40h | 18m | IPX-4 | 1m |

**65 LUMENS**

UL10 is a 65 lumens ulitity light which rides on a multi-purpose clip mount. The light can be mounted virtually anywhere: Caps, shoulder straps, pocket edges, belts plus many more. Once set it can be adjusted 180⁰ or flip sides if needed. Running on 2 AAA batteries and weighs only 47 grams (battery included)

**FEATURES**
- 3 high performance Nichia LED, max output 65 lumens
- Multi-purpose clip mount, mounts onto a number of items
- 180° easy flip and hold lighting
- Ultra lightweight, weighing just 47 grams (battery included)

| LED : | Nichia® 5mm LED |
|---|---|
| Mode : | 65lm / 7lm / S.O.S. |
| Runtime : | 3h30min / 40h / — |
| Beam distance : | 18m / 59.1' |
| Water resistance : | IPX-4 |
| Impact resistance: | 1m / 3.28' |
| Battery : | 2 * AAA ( included ) |
| Dimensions : | 32mm * 48mm * 54mm |
| Weight : | 49.5g / 1.75oz ( with batteries ) |

| Code | Description | Barcode |
|---|---|---|
| UL10 | Compact Multi-Purpose Clip Light- Blister Pack | 6945064200444 |

# NEXTORCH
*the smart light*

## Interactive Display
Video screen and 'try-me' flashlights

**FEATURES**

- Compact and attractive counter display of 4 popular Nextorch flashlights
- "Try Me" display of each flashlight with security cables
- Interactive video player – plays custom video when a flashlight is removed from its cup
- Display can be used on counter or wall mounted

Includes:

**UL360**: Utility pocket lantern | x3

**K3**: Ultra bright penlight | x3

**TA40**: Ultra bright tactical flashlight | x3

**PA5**: USB chargeable 360 degree flashlight | x3

| Code | Description |
|------|-------------|
| NEXDISP1 | Interactive Display |

## BONUS
### FREE "TRY ME" FLASHLIGHTS WITH EVERY INTERACTIVE DISPLAY
**VALUED AT $350.00**

## Headlamp and Flashlight Display

**FEATURES**

- Compact and attractive counter display contains a comprehensive range of quality Nextorch headlamps and flashlights.

Includes:

**ECO-STAR**: Lightweight Multi-Mode LED Headlamp | x3 (Black, Blue & Green)

**TREK-STAR**: Ultra Bright LED Headlamp | x3 (Black, Blue & Green)

**UL10**: Compact Multi-Purpose Clip Light | x3

**GL20**: Keychain Light Laser Combo | x3 (Green, Grey & Khaki)

**MYSTAR-GREEN**: Adjustable Rechargeable Headlamp | x2

**K3**: Ultra Bright Penlight | x3

**MYTORCH-S**: Ultra Bright USB Charge Smart Torch | x2

**MYTORCH-2-AA**: Lightweight LED Flashlight 4 Mode | x2

| Code | Description |
|------|-------------|
| NEXDISP3 | Cardboard Counter Display |