WOLFCHESTER

Safety Data Sheet

Engine Oil Supplement

SECTION 1. IDENTIFICATION

Product Identifier Engine Oil Supplement

Part number TAUS350EOS

Product Family Petroleum distillates
Recommended Use Lubricant additive.

Restrictions on Use Hazardous Substance. Dangerous Goods: According to the criteria of NOHSC and the ADG

Code.

Supplier Identifier Wolfchester Australia Pty. Ltd.

4/122 Beresford Road Lilydale, Victoria Australia 3140 +613 9737 2800

Emergency Phone No. Poisons Information Centre, 131126, Operation hours: 24/7

SECTION 2. HAZARD IDENTIFICATION

Classification

Skin irritation - Category 2; Eye irritation - Category 2A

Label Elements



Warning

Causes skin irritation.

Causes serious eye irritation.

Wash hands and skin thoroughly after handling.

Wear protective gloves.

Wear eye protection/face protection. IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product Identifier: Engine Oil Supplement - Ver. 1

SDS No.: TAUS350EOS

Date of Preparation: February 13, 2020

Date of Last Revision: Page 01 of 07

Mixture:

Chemical Name	CAS No.	%	Other Identifiers	Other Names
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	15-40		
Hydrotreated light naphthenic distillate	64742-53-6	15-40		
Lubricating oils (petroleum), hydrotreated spent	64742-58-1	10-30		
Zinc C1-C14 alkyldithiophosphate	68649-42-3	1-5		

Notes

Concentration ranges due to batch processing. Documentation supporting composition variability is maintained.

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Remove source of exposure or move to fresh air. Get medical advice or attention if you feel unwell or are concerned.

Skin Contact

Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes. Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). If skin irritation occurs, get medical advice or attention.

Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. Take care not to rinse contaminated water into the unaffected eye or onto the face. If eye irritation persists, get medical advice or attention.

Ingestion

Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. If vomiting occurs naturally, lie on your side in the recovery position. Rinse mouth with water again. Drink two glasses of water. Immediately call a Poison Centre or doctor.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Carbon dioxide or dry chemical. Use water to keep non-leaking, fire-exposed containers cool.

Unsuitable Extinguishing Media

DO NOT use water or water-based extinguishing agents.

Specific Hazards Arising from the Product

Can ignite if strongly heated.

Very toxic carbon monoxide, carbon dioxide; toxic zinc oxides; corrosive, oxidizing nitrogen oxides; corrosive sulfur oxides; corrosive phosphorous oxides.

Special Protective Equipment and Precautions for Fire-fighters

No special precautions are necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Do not touch damaged containers or spilled product unless wearing appropriate protective equipment. Use the personal protective equipment recommended in Section 8 of this safety data sheet.

Product Identifier: Engine Oil Supplement - Ver. 1

SDS No.: TAUS350EOS

Date of Preparation: February 13, 2020

Date of Last Revision: Page 02 of 07

Environmental Precautions

If the spill is inside a building, prevent product from entering drains, ventilation systems and confined areas. Do not allow into any sewer, on the ground or into any waterway.

Methods and Materials for Containment and Cleaning Up

Contain and soak up spill with absorbent that does not react with spilled product. Place used absorbent into suitable, covered, labelled containers for disposal.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

It is good practice to: avoid breathing product; avoid skin and eye contact and wash hands after handling. Only use where there is adequate ventilation. Do not puncture or incinerate container even when empty. Do not weld, cut or perform hot work on empty container until all traces of product have been removed.

Conditions for Safe Storage

Store in an area that is: well-ventilated, cool, dry. Store in a closed container. Empty containers may contain hazardous residue. Store separately. Keep closed. Follow all precautions given on this safety data sheet.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Appropriate Engineering Controls

Sufficient mechanical ventilation to maintain exposures below the TLV. Under normal conditions of use, general ventilation should be satisfactory. Local ventilation is recommended if the product is misted or used in a confined space or if the TLV is exceeded. Make up air should always be supplied to balance air exhausted. Provide eyewash in work area, if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Safety glasses with side shields.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

Suitable materials are: Viton®, nitrile rubber.

Respiratory Protection

Not normally required if product is used as directed.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance Dark amber liquid.

Odour Petroleum
Odour Threshold Not available
pH Not applicable

Melting Point/Freezing Point Not available (melting)

Initial Boiling Point/Range Not available

Flash Point > 150 °C (closed cup)

Evaporation Rate Not available

Flammability (solid, gas) Not applicable (liquid).

Upper/Lower Flammability or

Explosive Limit

Not available (upper); Not available (lower)

Vapour Pressure Not available

Vapour Density (air = 1) > 1

Relative Density (water = 1) 0.918 at 15 °C

Product Identifier: Engine Oil Supplement - Ver. 1

SDS No.: TAUS350EOS

Date of Preparation: February 13, 2020

Date of Last Revision: Page 03 of 07

Solubility Negligible in water Partition Coefficient, Not available

n-Octanol/Water (Log Kow)

Auto-ignition TemperatureNot availableDecomposition TemperatureNot available

Viscosity 10.3 - 10.6 centistokes at 100°C (kinematic)

Other Information

VOC % Not available Flame projection Not applicable

NFPA Classification Combustible liquid, class IIIB

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions of use.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

Conditions to Avoid

High temperatures. Incompatible materials.

Incompatible Materials

Strong oxidizing agents (e.g. perchloric acid).

Hazardous Decomposition Products

Carbon oxides, zinc oxides, phosphorous, sulphur and nitrogen oxides.

SECTION 11. TOXICOLOGICAL INFORMATION

Information presented below is for the entire product, unless otherwise specified.

Likely Routes of Exposure

Skin contact.

Eye contact.

Ingestion.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Distillates (petroleum), hydrotreated heavy naphthenic	2180 mg/m3 (rat) (4-hour exposure)	> 5000 mg/kg (rat)	> 2000 mg/kg (rabbit)
Hydrotreated light naphthenic distillate	2180 mg/m3 (rat)	> 5000 mg/kg (rat)	> 2000 mg/kg (rabbit)

23% of the mixture consists of an ingredient or ingredients of unknown acute toxicity (inhalation).

Inhalation ATEmix = 165.32 mg/L (4-hour exposure) (vapour).

23% of the mixture consists of an ingredient or ingredients of unknown acute toxicity (oral).

Oral ATEmix = 5661.77 mg/kg.

23% of the mixture consists of an ingredient or ingredients of unknown acute toxicity (dermal).

Dermal ATEmix = 2264.71 mg/kg.

Skin Corrosion/Irritation

Product Identifier: Engine Oil Supplement - Ver. 1

SDS No.: TAUS350EOS

Date of Preparation: February 13, 2020

Date of Last Revision: Page 04 of 07

There is limited evidence of moderate or severe irritation.

Serious Eye Damage/Irritation

There is limited evidence of serious eye irritation.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

At high concentrations may cause nose and throat irritation.

Skin Absorption

No information was located.

Ingestion

May cause irritation of the mouth, throat and stomach. Symptoms may include nausea, vomiting, stomach cramps and diarrhea.

Aspiration Hazard

Not known to be an aspiration hazard.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

No information was located.

Respiratory and/or Skin Sensitization

No information was located for respiratory sensitization.

No information was located for skin sensitization.

Carcinogenicity

No information was located.

No information was located for: Development of Offspring, Sexual Function and Fertility, Effects on or via Lactation, Germ Cell Mutagenicity, Interactive Effects

SECTION 12. ECOLOGICAL INFORMATION

This section is not required by WHMIS.

This section is not required by OSHA HCS 2012.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Empty containers retain product residue. Follow label warnings even if container appears to be empty. Dispose of in accordance with municipal, provincial/state or federal regulations.

SECTION 14. TRANSPORT INFORMATION

Not regulated under Canadian TDG regulations. Not regulated under IATA Regulations.

Special Precautions Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Other Information Not regulated under IMDG Code.

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

CEPA - National Pollutant Release Inventory (NPRI)

Product Identifier: Engine Oil Supplement - Ver. 1

SDS No.: TAUS350EOS

Date of Preparation: February 13, 2020

Date of Last Revision: Page 05 of 07

(Diphenylamine) Part 1A.

USA

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are listed on the TSCA Inventory.

Additional USA Regulatory Lists

CERCLA: Not applicable.

SARA Title III - Section 302: Not applicable. SARA Title III - Section 313. (Diphenylamine) California Proposition 65: Not applicable. Massachusetts Right To Know: Not applicable. New Jersey Right To Know. (Diphenylamine) Pennsylvania Right To Know. (Diphenylamine)

SECTION 16. OTHER INFORMATION

NFPA Rating Health - 0 Flammability - 1 Instability - 0

SDS Prepared By Wolfchester Australia Pty. Ltd.

Phone No. 03 9737 2800 **Date of Preparation** February 13, 2020

Key to Abbreviations ACGIH® = American Conference of Governmental Hygienists

CANUTEC = Canadian Transport Emergency Centre

CAS = Chemical Abstract Service

CCOHS = Canadian Centre for Occupational Health & Safety

CNS = Central nervous system

GESTIS = GESTIS Substance Database HSDB® = Hazardous Substances Data Bank

IARC = International Agency for Research on Cancer ICAO = International Civil Aviation Organization

IMDG = International Maritime Dangerous Goods Code

LC = Lethal concentration

LC = Lethal dose

NFPA = National Fire Protection Association

NTP = National Toxicology Program

OSHA = US Occupational Safety and Health Administration

PPM = Parts per million

RTECS® = Registry of Toxic Effects of Chemical Substances

STEL = Short term exposure limit

TDG = Transportation of Dangerous Goods Regulations (Canada)

TWA = Time weighted average

References Material safety data sheet from manufacturer.

CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS). HSDB® database. US National Library of Medicine. Available from Canadian Centre for

Occupational Health and Safety (CCOHS).

Registry of Toxic Effects of Chemical Substances (RTECS®) database. Accelrys, Inc. Available

from Canadian Centre for Occupational Health and Safety (CCOHS). ECHA - European Chemical Agency, Classification and Labelling Inventory

GESTIS Substance Database

OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2015.

Disclaimer The information contained herein is offered only as a guide to the use and handling of this

specific material and has been prepared in good faith. It is not intended to be all-inclusive, and

the manner and conditions of use and handling may involve other and additional

considerations. No warranty of any kind is given or implied. Shrader Canada Limited will not be liable for any damages, losses, injuries or consequential damages which may result from the

Product Identifier: Engine Oil Supplement - Ver. 1

SDS No.: TAUS350EOS

Date of Preparation: February 13, 2020

Date of Last Revision: Page 06 of 07

use of or reliance on any information contained herein.

Product Identifier: Engine Oil Supplement - Ver. 1

SDS No.: TAUS350EOS

Date of Preparation: February 13, 2020

Date of Last Revision: Page 07 of 07

