

Printing date 06.02.2020

Revision: 06.02.2020

Page 1/9

1 Identification of the substance/mixture and of the company/undertaking · Product identifier · Trade name: White Gloss Aerosol • Article number (product ID.): WCLS400GW · Relevant identified uses of the substance or mixture and uses advised against · Application of the substance / the mixture: painting · Uses advised against No further relevant information available. · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Wolfchester Australia 4/122 Beresford Road Lilydale, VIC, 3140 Tel.: +61 3 9737 2800 • Further information obtainable from: Product safety department E-mail:sales@wolfchester.com.au · Emergency telephone number: Tel.:131160 Poisons Information Centre

2 Hazards identification

· Classification of the substance or mixture

flame

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.



Eye Irrit. 2A H319	Causes serious eye irritation.
STOT SE 3 H336	May cause drowsiness or dizziness.
Acute Tox. 5 H333	May be harmful if inhaled.
Skin Corr. 3 H316	Causes mild skin irritation.

· Label elements

· GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labelling:

xylene, mixture of isomers

· Hazard statements

Extremely flammable aerosol. Pressurised container: May burst if heated.

(Contd. on page 2)

⁻ A

Printing date 06.02.2020

Revision: 06.02.2020

Trade name: White Gloss Aerosol

(Contd. of page 1)	
May be harmful if inhaled.	
Causes mild skin irritation.	
Causes serious eye irritation.	
May cause drowsiness or dizziness.	
· Precautionary statements	
If medical advice is needed, have product container or label at hand.	
Keep out of reach of children.	
Read label before use.	
Keep away from heat/sparks/open flames/hot surfaces. No smoking.	
Do not spray on an open flame or other ignition source.	
Do not pierce or burn, even after use.	
Avoid breathing vapours/spray.	
Use only outdoors or in a well-ventilated area.	
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to	
do. Continue rinsing.	
If skin irritation occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
• Additional information: Without adequate ventilation, explosive atmosphere/gas mix may be created.	
· Other hazards	
· Results of PBT and vPvB assessment	
• <i>PBT:</i> Not applicable.	
D. Not applicable	

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

67-64-1	acetone	25-<50%
	🚸 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319; STOT SE 3, H336	
74-98-6	propane	10-<25%
	🚸 Flam. Gas 1, H220; 🔗 Press. Gas C, H280	
106-97-8	butane (containing $\leq 0,1$ % butadiene (203-450-8))	5-<10%
	🚸 Flam. Gas 1, H220; 🔗 Press. Gas C, H280	
9004-70-0	nitrocellulose with water(not less than 25% water, by mass)	5-<10%
	🔗 Expl. 1.1, H201	
123-86-4	n-butyl acetate	5-<10%
	🚸 Flam. Liq. 3, H226; 🚸 STOT SE 3, H336; Acute Tox. 5, H333	
75-28-5	isobutane (containing $\leq 0,1$ % butadiene (203-450-8))	5-<10%
	🚸 Flam. Gas 1, H220; 🔗 Press. Gas C, H280	
108-65-6	2-methoxy-1-methylethyl acetate	2.5-<5%
	🚸 Flam. Liq. 3, H226; Acute Tox. 5, H333	
64-17-5	ethanol	2.5-<5%
	🚸 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2A, H319	
1330-20-7	xylene, mixture of isomers	2.5-<5%
	Flam. Liq. 2, H225; STOT RE 2, H373; Asp. Tox. 1, H304; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
7397-62-8	butyl glycollate	<1%
	() <i>Repr.</i> 2, <i>H</i> 361; () <i>Eye Dam.</i> 1, <i>H</i> 318; <i>Flam. Liq.</i> 4, <i>H</i> 227; <i>Acute Tox.</i> 5, <i>H</i> 303	1

Printing date 06.02.2020

Revision: 06.02.2020

Trade name: White Gloss Aerosol

(Contd. of page 2)

• Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · Extinguishing media -
- · Suitable extinguishing agents: Cool container whit water
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:
- Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace.
- Information about fire and explosion protection: Do not spray onto a naked flame or any incandescent material. Keep ignition sources away - Do not smoke.
 Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- *Requirements to be met by storerooms and receptacles:* Observe official regulations on storing packagings with pressurised containers.
- Information about storage in one common storage facility: Not required.

Printing date 06.02.2020

Revision: 06.02.2020

(Contd. of page 3)

Trade name: White Gloss Aerosol

- Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:					
67-64-1 acetone					
WES (Australia)	WES (Australia) Short-term value: 2375 mg/m³, 1000 ppm				
	Long-term value: 1185 mg/m³, 500 ppm				
74-98-6 propane	74-98-6 propane				
WES (Australia)	Asphyxiant				
106-97-8 butane	106-97-8 butane (containing ≤0,1 % butadiene (203-450-8))				
WES (Australia)	Long-term value: 1900 mg/m³, 800 ppm				
123-86-4 n-buty	123-86-4 n-butyl acetate				
WES (Australia)	Short-term value: 950 mg/m ³ , 200 ppm				
	Long-term value: 713 mg/m³, 150 ppm				
64-17-5 ethanol	64-17-5 ethanol				
WES (Australia)	Long-term value: 1880 mg/m³, 1000 ppm				
1330-20-7 xylene, mixture of isomers					
WES (Australia)	Short-term value: 655 mg/m ³ , 150 ppm				
	Long-term value: 350 mg/m ³ , 80 ppm				
• Additional information: The lists valid during the making were used as basis.					

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- Respiratory protection:



When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Half mask with combination filter, class A1P2 minimum, or breathing mask with outer air supply.

• Protection of hands:

Protective gloves



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- · Material of gloves Nitrile rubber, NBR
- · Penetration time of glove material

Gloves must be changed after every contamination.

(Contd. on page 5)

^{...}

AJ

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.02.2020

Revision: 06.02.2020

Trade name: White Gloss Aerosol

(Contd. of page 4) The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

 \cdot For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

butyl rubber, 0,7mm · Eye protection:

Safety glasses



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties		
· General Information		
· Appearance: Form:	Associ	
Form: Colour:	Aerosol According to product specification	
· Odour:	Characteristic	
· Odour: · Odour threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range	2: -44.5 °C	
· Flash point:	-97 °C	
-	Without propellant gas.	
· Flammability (solid, gas):	Not applicable.	
· Ignition temperature:	365 °C	
· Decomposition temperature:	Not determined.	
• Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product is not explosive. However, formation of explosive air,	
	vapour mixtures are possible.	
	Not determined.	
· Explosion limits:		
Lower:	1.7 Vol %	
Upper:	13 Vol %	
· Vapour pressure at 20 °C:	3,600 hPa	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
	(Contd. on page 6	

Printing date 06.02.2020

Revision: 06.02.2020

		(Contd. of pag
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	86.0 %	
C .	With propellant gas. Content given by weight.	
VOC (EU)	86.04 %	
Solids content:	13.4 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.

• Conditions to avoid No further relevant information available.

- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 121,483 mg/kg (rat)

Inhalative LC50/4 h > 210 mg/l (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation Irritating effect.
- Respiratory or skin sensitisation No sensitising effects known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment

· PBT: Not applicable.

• **vPvB:** Ikke relevant.

(Contd. on page 7)

AJ -

Printing date 06.02.2020

Revision: 06.02.2020

(Contd. of page 6)

Trade name: White Gloss Aerosol

• Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- *Recommendation: Disposal must be made according to official regulations.*

· UN-Number	
· ADR, IMDG, IATA	UN1950
· UN proper shipping name	
· ADR	1950 AEROSOLS
· IMDG	AEROSOLS
· IATA	AEROSOLS, flammable
• Transport hazard class(es)	
ADR	
· Class	2 5F Gases.
· Label	2.1
· Class	2.1
· Label	2.1
· Packing group	
· ADR, IMDG, IATA	Void
	not classified
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Gases.
· Danger code (Kemler):	-
TMC Northand	not classified
· EMS Number: · Stowage Code	F-D,S-U SW1 Protected from sources of heat.
· Slowage Coue	SW1 From control sources of near. SW22 For AEROSOLS with a maximum capacity of
	litre: Category A. For AEROSOLS with a capace above 1 litre: Category B. For WASTE AEROSOL
	Category C, Clear of living quarters.
· Segregation Code	SG69 For AEROSOLS with a maximum capacity og litre:
	Segregation as for class 9. Stow "separated from" clas

Printing date 06.02.2020

Revision: 06.02.2020

	(Contd. of page 7
	1 except for division 1.4.
	For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of clas 2.
	For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of clas 2.
Transport in bulk according to Annex II and the IBC Code	of Marpol Not applicable.
Transport/Additional information:	
· ADR	
Limited quantities (LQ)	1L
\cdot Excepted quantities (EQ)	Code: E0
······································	Not permitted as Excepted Quantity
· Transport category	2
Tunnel restriction code	D
· IMDG	
· Limited quantities (LQ)	1L
\cdot Excepted quantities (\widetilde{EQ})	Code: E0
· ~	Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture VOC: <840g/l
- · GHS label elements
- The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labelling:
- xylene, mixture of isomers
- · Hazard statements
- Extremely flammable aerosol. Pressurised container: May burst if heated. May be harmful if inhaled. Causes mild skin irritation.
- Causes serious eye irritation. May cause drowsiness or dizziness.
- Precautionary statements
 If medical advice is needed, have product container or label at hand.
 Keep out of reach of children.
 Read label before use.
 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
 Do not spray on an open flame or other ignition source.
 Do not pierce or burn, even after use.

(Contd. on page 9)

AJ

Printing date 06.02.2020

Revision: 06.02.2020

Trade name: White Gloss Aerosol

(Contd. of page 8)

Avoid breathing vapours/spray. Use only outdoors or in a well-ventilated area.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3a FLAMMABLE AEROSOLS

 \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t

- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · National regulations:

· Technical instructions (air):

Class	Share in %
NK	50-100

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product safety department

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Expl. 1.1: Explosives - Division 1.1 Flam. Gas 1: Flammable gases - Category 1 Aerosol 1: Aerosols – Category 1 Press. Gas C: Gases under pressure - Compressed gas Flam. Liq. 2: Flammable liquids - Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Flam. Liq. 4: Flammable liquids - Category 4 Acute Tox. 4: Acute toxicity - dermal - Category 4 Acute Tox. 5: Acute toxicity - inhalation - Category 5 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Skin Corr. 3: Skin corrosion/irritation - Category 3 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Asp. Tox. 1: Aspiration hazard - Category 1