

BRAKES

1. Chemicals
2. Dispensers
3. Equipment






Brake & Parts Cleaner

- ✦ **non-chlorinated**
- ✦ will quickly and effectively free brake parts from brake dust, grime and brake fluid build-up to enable the brakes to function properly without any mechanical hindrance
- ✦ cuts through brake dust and grime and dries fast without leaving any residue
- ✦ can also be used to clean electrical components such as alternators and contacts

ECO

*For environmentally friendly
Refillable Spray Cans,
Pressure Pump Spray bottles etc see
Brakes:Dispensers*



ARTICLE NO	DESCRIPTION	CONTENTS	QTY
TAUS390BC	Brake & Parts Clean Aerosol	539ml	1/12
TAUS20LBC	Brake & Parts Clean Drum	20lt	1

Brake Protection and Service Spray S427

- ✦ special synthetic lubricant
- ✦ extreme high pressure and heat-resistant; tested up to +1200°C long-term, short-term up to +1500°C
- ✦ suitable for ABS systems
- ✦ ideal corrosion protection
- ✦ free of heavy metals, aluminium and copper
- ✦ prevents sticking and seizing
- ✦ prevents wear and tear and squealing noises
- ✦ colour: light blue



ARTICLE NO	DESCRIPTION	CONTENTS	QTY
F6514 5150	Brake Prot + Serv. Spray S427I	400ml	1/12

Ceramic Extreme Anti Seize Paste / Spray S428

- ✦ long-term ceramic lubricant
- ✦ up to +1400°C heat-resistant, short-term up to +1600°C
- ✦ strong adhesion and resistant to high impacts and pressures
- ✦ ideally suitable for push-on and bolted connections on the entire exhaust system, also for brake protection, wheel nut and studs
- ✦ free of standard and heavy metals
- ✦ prevents sticking, seizing and squealing noises
- ✦ prevents wear and tear
- ✦ colour: white



ARTICLE NO	DESCRIPTION	CONTENTS	QTY
F6514 5100	Cer. Ext. Anti S. Spray S428	400ml	1/12
F6510 5110	Cer. Ext. Anti S. Paste S428	500g	1

Copper Anti-Seize Paste / Spray S425

- ✦ prevents squealing noises, burning, seizing and wear from the effects of friction and high loads
- ✦ copper anti-seize paste heat-resistant up to +1200°C
- ✦ copper anti-seize spray heat-resistant up to +800°C
- ✦ extremely adhesive and pressure-resistant
- ✦ appropriate for use on screwjoints, exhaust manifolds, spark plugs, joints, sliding areas etc



ARTICLE NO	DESCRIPTION	CONTENTS	QTY
F6514 5000	Copper Spray S425	300ml	1/12
F6510 5001	Copper Spray S425	100g	1
F6510 5002	Copper Paste S425	1000g	1
F6510 5010	Copper Paste S425	5g	1

"Formulated by Professionals for Professionals"

Anti-Seize Lubricating Paste S424

- ✦ high temperature up to +1100°C, high pressure resistant
- ✦ extremely adhesive aluminium based lubricant designed for areas of extreme heat and loading
- ✦ prevents brakes from screeching (treat the backs of disc brake pads and the fitting point)
- ✦ protects battery poles against corrosion and acid
- ✦ can be used in the nozzle of inert gas welders as an anti-spatter spray
- ✦ suitable for thread joints on exhaust manifolds, spark plugs, injector sleeves etc...
- ✦ does not stick or seize even when dry

Application:

Thoroughly clean the parts to be treated and apply a thin film. Keep away from painted surfaces.



ARTICLE NO	DESCRIPTION	CONTENTS	QTY
F6514 5005	Anti Seize Lubr. Paste S424	200ml	1/12
F6510 5006	Application Brush	-	1

Aluminium Anti-Seize Paste / Spray S426

- ✦ for product information see *Anti-Seize Lubricating Paste S424*



ARTICLE NO	DESCRIPTION	CONTENTS	QTY
F6510 5020	Alu Anti Seize S426	300ml	1/12
F6510 5021	Alu Anti Seize S426	250g	1

"Formulated by Professionals for Professionals"



Overview - Brake Protection

	Anti-Seize Lubrication Paste Professional S424 Art. No. F6510 5005	Copper Spray/Paste S425 Art. No. F6510 5000	Alu Anti Seize S426 Art. No. F6510 5020	Brake Protection Service Spray S427 Art. No. F6510 5150	Ceramic Extreme Anti Seize Spray/Paste S428 Art. No. F6510 5100
Basis	aluminium	copper	aluminium	synthetic special lubricant	ceramic
Colour	metallic/grey	copper	metallic/grey	light blue	white
Temperature resistance	from -20°C to +1100°C	Copper Spray -180°C to +800°C Copper Paste -30°C to +1100°C	from -40°C to +1100°C	up to +1200°C for a short time up to +1500°C	-40°C to +1400°C for a short time up to +1600°C
Free of heavy-metal	no	no	no	yes	yes
ABS brake system, appropriate for ASR systems	conditional	conditional	conditional	yes	yes
Corrosion protection	yes DIN51802	yes > 500hrs salt spraying test DIN50 021 SKF-Emoor test DIN51 802	yes	yes	yes > 500 hrs salt spraying test DIN50 021

Pressure Pump Spray Bottle

- ✦ hand action creates pressure
- ✦ spray jet multi-adjustable by turning the nozzle
- ✦ filling quantity max. 1l



ARTICLE NO	DESCRIPTION	CAPACITY	QTY
F6000 0065	Press. Pump Spray NEUTR	1L	1
F6000 0954	Press. Pump Spray BRAKE CL	1L	1
F6000 0066	Seal. Set Press. Pump Spray	-	1
F6000 0068	Plast Nozzle Pump Spr. 0.8mm	-	1
F6000 0963	Plast. Lance for F6000 0065	-	1

Pressure Pump Spray for Rim Cleaner

- ✦ suitable for the application of rim cleaner
- ✦ acetone-free
- ✦ hand action creates pressure
- ✦ spray jet multi-adjustable by turning the nozzle
- ✦ filling quantity max. 1l



ARTICLE NO	DESCRIPTION	CAPACITY	QTY
F6000 0955	Press. Pump Spray Rim Clean	1L	1
F6000 0958	Seal. Set for F6000 0955	-	1
F6000 0060	Plast Nozzle for F6000 0955	-	1
F6000 0961	Plast. Lance for F6000 0955	-	1

Drum Tap

- ✦ 3/4" for 20L Brake Cleaner drum

ARTICLE NO	DESCRIPTION	QTY
TAUS20LBCTAP	Drum Tap for 20L drum	1



SprayMat



- ✦ environmentally-friendly and economical system that works with compressed air
- ✦ fully automated
- ✦ designed to fill a can with pressure and product in one step



ARTICLE NO	DESCRIPTION	QTY
00 300 20000	SprayMat	1
00 300 20001	Refillable Can 600ml	1
00 300 20002	Refil. Can Atomizer 600ml	1

***600ml Can not included.
Available for purchase separately**

Spray-It

- ✦ 400ml epoxy lined aluminium can which is safe for use with all commonly used bulk chemicals
- ✦ each can will recharge at least 2000 times
- ✦ fill ratio for optimum use: 2:1 product to air
- ✦ variety of nozzles included for required spray effect



-  Black Nozzle
45° spray pattern
-  Green Nozzle
90° spray pattern
-  Red Nozzle
Direct jet

ARTICLE NO	DESCRIPTION	QTY
00 300 00400	Refillable Can 400ml	1
00 300 00000	Base Station	1

Rack for SprayMat

✦ Technical Data: HxWxD: 810x455x415

ARTICLE NO	DESCRIPTION	QTY
F9100 32	Rack for SprayMat	1



"Formulated by Professionals for Professionals"



Brake Fluid Tester Mini 1

- ✦ 5 leds for precise display of water content in brake fluid
- ✦ robust with protective cap
- ✦ small and handy
- ✦ can be used in cars, trucks and motorcycle workshops

Function:

- ✦ **Green**: ok, no water in the brake fluid
- ✦ **Green/Yellow**: less than 1% water in the brake fluid
- ✦ **Green/Yellow/Yellow**: approx. 2% water in the brake fluid
- ✦ **Green/Yellow/Yellow/Red**: approx. 3% water in the brake fluid. Change brake fluid!
- ✦ **Green/Yellow/Yellow/Red/Red**: at least 4% water in the fluid. Brake Fluid must be changed! Safety risk!



Technical Data

Display:	Optical, LED-serie 0, <1, 2, 3, >4%
Measuring range:	Brake Fluid DOT 4
Protection class:	IP 44
Security standard:	EN 61010
Power supply:	9V TBM-cell included in delivery
Measurement:	LxW / 150x25 mm
Weight:	40 g

ARTICLE NO	DESCRIPTION	QTY
F5439 7	Brake Fluid Test. Mini 1	1
F3882 60	Coin Cell Block LR44 9V	1